



STOCK CODE	DESCRIPTION	UOM	PRODUCT DESCRIPTION
M-MA020-025	ACID COIL CLEANER (25 LIT)	25 LIT	Heavy duty acidic cleaner for removal of algae, slim & scale depositors from air-conditioners.
M-MA002-204	ACID ETCH (204 LIT)	204 LIT	One step degreaser and demutting agent for commercial aluminium
M-MA002-025	ACID ETCH (25 LIT)	25 LIT	One step degreaser and demutting agent for commercial aluminium
M-MA002-005	ACID ETCH (5 LIT)	5 LIT	One step degreaser and demutting agent for commercial aluminium
M-MA005-025	ADDETT LL B (25 KG)	25 KG	An etching additive for caustic soda powerful sequesting agent.
M-MA010-175	ALU CLEAN 18 (175 KG)	175 KG	A non silicate, non caustic degreaser for aluminum
M-MA010-020	ALU CLEAN 18 (20 KG)	20 KG	A non silicate, non caustic degreaser for aluminum
M-MA015-175	ALU CLEAN 19S (175 KG)	175 KG	Non silicated, non caustic and non oxidation aluminum degreaser
M-MA015-020	ALU CLEAN 19S (20 KG)	20 KG	Non silicated, non caustic and non oxidation aluminum degreaser
M-MA011-204	ALU CLEAN AC-C (204 LIT)	204 LIT	A non silicate degreaser for aluminium.
M-MA011-025	ALU CLEAN AC-C (25 LIT)	25 LIT	A non silicate degreaser for aluminium.
M-MA008-200	ALU ETCH (200 KG)	200 KG	An alkaline powder from etchant to provide uniform stain finish in aluminum surfaces
M-MA001-025	ALUMINIUM BRIGHTENER (25 LIT)	25 LIT	Aluminium brightener.
M-MC001-025	COIL CLEANER (25 LIT)	25 LIT	Heavy duty cleaner for slime, soil, algae and scale deposits in air conditioners
M-MC003-025	CR SEAL (25 LIT)	25 LIT	Chromic acid base liquid product for the final rinse bath for zinc phosphating of steel and chemical conversion coating of aluminum
M-MD001-204	DESMUT 40N (204 LIT)	204 LIT	A powerful nitrate based desmutter and deoxidizer for aluminum anodizing process.



STOCK CODE	DESCRIPTION	UOM	PRODUCT DESCRIPTION
M-ME007-025	EMSOL (25 LIT)	25 LIT	An emulsified solvent production for treatment of all metal
M-ME005-025	EXCELL (25 LIT)	25 LIT	Inhibited acid for heavy descaling and derusting purposes
M-ME005-005	EXCELL (5 LIT)	5 LIT	Inhibited acid for heavy descaling and derusting purposes
M-ME001-025	EXIT P1 S (25 LIT)	25 LIT	Solvent based paint stripper
M-MF005-025	FE 4 (25 LIT)	25 LIT	Degreaser, derusting and phosphatizing liquid for steel
M-MF002-150	FEROCLEAN 83 (150 KG)	150 KG	Low foam, low temperature alkaline product for degreasing of ferrous metal prior to phosphating process
M-MF008-204	FEROCLEAN 83 L (204 LIT)	204 LIT	An alkaline cleaner for efficient cleaning of steel zinc or galvanised steel
M-MF008-025	FEROCLEAN 83 L (25 LIT)	25 LIT	An alkaline cleaner for efficient cleaning of steel zinc or galvanised steel
M-MI001-025	I.C (25 LIT)	25 LIT	Grease and oil degreaser
M-MM001-025	M-ADDITIVE (25 LIT)	25 LIT	Cleaning aids for institutional and food industries.
M-MP007-204	PERMACOAT 47 (204 LIT)	204 LIT	Liquid product for chemical conversion coating of aluminum
M-MP007-025	PERMACOAT 47 (25 LIT)	25 LIT	Liquid product for chemical conversion coating of aluminum
M-MP009-025	PERMACOAT CR (25 KG)	25 KG	Acidic conversion coating product for chromating of aluminum and its alloy.
M-MP016-025	PERMACOAT L (25 LIT)	25 LIT	Conversion coating chemical for chromating of aluminium and its alloys.
M-MP016-200	PERMACOAT L (200 LIT)	200 LIT	Conversion coating chemical for chromating of aluminium and its alloys.
M-MP011-025	PERMATONE L3 (25 LIT)	25 LIT	A leveler to ensure colour univormity in electrolytic colouring for aluminum



STOCK CODE	DESCRIPTION	UOM	PRODUCT DESCRIPTION
M-MP013-020	PERMATONE S2 (20 KG)	20 KG	Electrolytic colouring for aluminium anodizing process - Tin Stabilizer
M-MP012-020	PERMATONE T1 (20 KG)	20 KG	Electrolytic colouring for aluminium anodizing process - Main colour constituent
M-MP012-025	PERMATONE T1 (25 KG)	25 KG	Electrolytic colouring for aluminium anodizing process - Main colour constituent
M-MR001-025	RC 6B (25 LIT)	25 LIT	Rust convertor transforms rust into a black organo metallic coating.
M-MR002-209	RP 2 (209 LIT)	209 LIT	Rust inhibitor for metal surface
M-MR002-025	RP 2 (25 LIT)	25 LIT	Rust inhibitor for metal surface